

# Combined Methods of the Treatment of Papillomavirus Infection

**Narzikulov Rustam Mardanovich**

Samarkand State Medical University Department of Skin and Venereal Diseases

**Toshturdiyev Shokhbozjon Zokhiddinovich, Jurakulov Shakhboz Islomqulovich**

Samarkand State Medical University student

## Article Information

**Received:** December 26, 2022

**Accepted:** January 27, 2023

**Published:** February 28, 2023

**Keywords:** Human papillomaviruses, treatment, disease recurrence.

## ABSTRACT

*this article attempts to reveal the main reasons for the creation of a comprehensive system of measures for the treatment of human papillomavirus infection (PVI) and a significant reduction in the recurrence of the disease. To carry out scientific work, the author found that HPV type 16 among patients with cervical cancer is detected in 68.3% of cases, HPV type 18 - in 11.7% of cases. A comparative evaluation of the effectiveness of monotherapy and combined treatment of PVI was carried out in 98 patients (age 25–37 years) with localization of tumor elements in the external genital area. Group I (52 people) consisted of patients who were treated only with the method of laser therapy (copper vapor laser 578 nm "Yakhroma-Med", which selectively affects the pathological tissue). Group II (46 people) consisted of patients who received combined treatment: laser destruction, epithelialization occurred within 5–7 days, after which Keravort cream (5% imiquimod) was administered externally, which was applied to the entire surface of the skin where condylomas were localized, capturing visibly healthy skin 1 cm in diameter at night 3 times a week for 4-8 weeks. The problem in question is still little studied, therefore, requires more thorough research.*

**Introduction:** Human papillomaviruses (HPV), or human papillomaviruses (HPV, English human papillomavirus, HPV) are a group of viruses from the papillomavirus family, including 27 species from 5 genera (Alphapapillomavirus, Betapapillomavirus, Gammapapillomavirus, Mupapillomavirus and Nupapillomavirus) and more than 170 types (strains).

About 80% of the sexually active population becomes infected with HPV during their lifetime. 660 million people in the world are already infected with HPV (12% of the world's population). 750 thousand cases of HPV-associated cancers and 32 million cases of anogenital warts are registered annually in the world. Every year, more than 300 thousand people die from cancer caused by HPV[7][8][9]. HPV is the most common sexually transmitted disease in the United States, Russia and many other countries.

In itself, HPV infection does not mean evidence of sexual contact, since the standard life cycle of the virus is designed for infection through microcracks in the skin. Infection through the mucous

membranes is only more effective and therefore more common. Infection with the virus is possible through shared objects or even a handshake[11][12]. Infection through objects and the skin of other people contributes to the extreme resistance of HPV to antiseptics.

HPV refers to non-enveloped viruses, that is, with a simple, but highly resistant to antiseptics, icosahedral capsid. Inside the capsid, the virus contains double-stranded DNA in the form of a closed ring. The DNA of the virus duplicates its proteins many times, since the life cycle of the virus requires the breaking off of parts of the DNA[24]

**Purpose:** to create a comprehensive system of measures for the treatment of human papillomavirus infection (PVI) and a significant reduction in the recurrence of the disease.

**Materials and methods:** it was found that HPV type 16 among patients with cervical cancer is detected in 68.3% of cases, HPV type 18 - in 11.7% of cases. A comparative evaluation of the effectiveness of monotherapy and combined treatment of PVI was carried out in 98 patients (age 25–37 years) with localization of tumor elements in the external genital area. Group I (52 people) consisted of patients who were treated only with the method of laser therapy (copper vapor laser 578 nm "Yakhroma-Med", which selectively affects the pathological tissue). Group II (46 people) consisted of patients who received combined treatment: laser destruction, epithelialization occurred within 5–7 days, after which Keravort cream (5% imiquimod) was administered externally, which was applied to the entire surface of the skin where condylomas were localized, capturing visibly healthy skin 1 cm in diameter at night 3 times a week for 4-8 weeks. To assess the effectiveness of therapy, the following approaches were used: comparing the results of an HPV examination before the start of treatment and 4 months after the end of the course of treatment by PCR; assessment of the timing of resolution of clinical manifestations of PVI in patients receiving different treatment regimens; analysis of the frequency of relapses after treatment.

**Results:** the results of comparing the effectiveness of various PVI therapy options according to the criterion "relapse rate after treatment" turned out to be the most significant. In the first group, the recurrence rate was 18%, in the second group of patients, no relapses were noted.

**Conclusions:** Thus, the optimal tactic for the treatment of PVI is combined therapy, which includes the elimination of papillomatous foci by laser therapy using the Yakhroma-Med apparatus and local immunocorrection. At the same time, it should be noted that the drug "Keravort" is a means of etiotropic therapy for diseases associated with the human papillomavirus.

#### Literature:

1. Нарзикулов Р. М. и др. Новый подход в лечении витилиго //НАУЧНЫЕ ИССЛЕДОВАНИЯ. – 2019. – С. 60.
2. Тошев С. У., Сулаймонов А. Л., Тиллакобилов И. Б. ТЕРАПИЯ ВИТИЛИГО С ПРИМЕНЕНИЕМ ПОЛИОКСИДОНИЯ В СОЧЕТАНИИ С ЛЮКОДЕРМИНОМ //Высшая школа: научные исследования. – 2019. – С. 55-59.
3. Bahadirovich T. I. Topical Treatment of Children with Atopic Dermatitis //Texas Journal of Medical Science. – 2022. – Т. 8. – С. 132-134.
4. Bahadirovich T. I. AKNE VULGARNIKSNI DAVOLASH SAMARALIGINI BAHOLASH //Eurasian Journal of Medical and Natural Sciences. – 2022. – Т. 2. – №. 3. – С. 41-44.
5. Аликулова М. Т., Тиллакобилов И. Б. кандидФЛЮ нео пРи кандидозе крупных складок //Forcipe. – 2020. – Т. 3. – №. 5. – С. 221-222.
6. Bahadirovich T. I. Dermatological Practice for the Treatment of Adopic Dermatitis and Eczema //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 670-672.

7. Kurbonalievich A. S. et al. UROGENITAL CHLAMYDIOSIS IS A CAUSE OF STERILITY AND CHRONIC PROSTATITIS IN MEN //Web of Scholars: Multidimensional Research Journal. – 2022. – Т. 1. – №. 6. – С. 306-310.
8. Anvarovich O. R. et al. ETIOPATHOGENESIS AND CLINICAL COURSE SPECIFIC CHARACTERISTICS OF NEURODERMITIS DISEASE //Web of Scholars: Multidimensional Research Journal. – 2022. – Т. 1. – №. 6. – С. 276-280.
9. Bakhodirovich T. I. et al. COMBINED IMMUNOTHERAPY IN THE TREATMENT OF CANDIDIASIAN INFECTIONS OF THE URINARY ORGANS //Web of Scholars: Multidimensional Research Journal. – 2022. – Т. 1. – №. 6. – С. 257-263.
10. Нарзикулов Р. М. НОВЫЙ ПОДХОД В ЛЕЧЕНИИ ХРОНИЧЕСКОЙ ЭКЗЕМЫ У РАБОТНИКОВ СЕЛЬСКОГО ХОЗЯЙСТВА В УСЛОВИЯХ РЕЗКО КОНТИНЕНТАЛЬНОГО КЛИМАТА (НА ПРИМЕРЕ САМАРКАНДСКОЙ ОБЛАСТИ) //Актуальные аспекты медицинской деятельности. – 2021. – С. 235-240.
11. Uktamovich T. S., Vakhobiddinovich A. D. Complex Therapy of Patients with Atopic Dermatitis //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 653-655.
12. Uktamovich T. S., Umedovich S. U. Effectiveness of Treatment of Testicular Torsion //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 647-649.
13. Uktamovich T. S., Fakhriddinovich F. K. Effectiveness of the Treatment of Limited Scleroderma //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 650-652.
14. Toshev S. U. APPLICATIONS OF ELACON FOR LICHEN PLANE //Asian journal of pharmaceutical and biological research. – 2022. – Т. 11. – №. 2.
15. Toshev S. U. THE USE OF ADVANTAN IN THE LOCAL TREATMENT OF GENITAL HERPES //Asian journal of pharmaceutical and biological research. – 2022. – Т. 11. – №. 2.
16. Ахмедова М. М., Абдуллаев Д. М., Тошев С. У. ИСПОЛЬЗОВАНИЯ МАЗЬКИУРАЛИМУС ПРИ ЛЕЧЕНИИ КРАСНОГО ПЛОСКОГО ЛИШАЯ //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIIY JURNALI. – 2022. – Т. 2. – №. 3. – С. 191-193.
17. Нарзикулов Р. и др. Принципы терапии у женщин больных гонореей ассоциированные иппп //Журнал вестник врача. – 2019. – Т. 1. – №. 1. – С. 99-102.
18. Абдуллаев Д. М., Тошев С. У., Толибов М. М. КОМПЛЕКСНЫЙ МЕТОД ЛЕЧЕНИЯ ВУЛЬГАРНЫХ УГРЕЙ //Актуальные аспекты медицинской деятельности. – 2021. – С. 254-256.
19. Нарзикулов Р. М. и др. Новый подход в лечении витилиго //НАУЧНЫЕ ИССЛЕДОВАНИЯ. – 2019. – С. 60.
20. Rizaev J. A. et al. Medical and organizational measures to improve the provision of medical care in the dermatovenerology profile //International Journal of Current Research and Review. – 2020. – Т. 12. – №. 24. – С. 120-122.
21. Тошев С. У., Сулаймонов А. Л., Тиллакобилов И. Б. ТЕРАПИЯ ВИТИЛИГО С ПРИМЕНЕНИЕМ ПОЛИОКСИДОНИЯ В СОЧЕТАНИИ С ЛЮКОДЕРМИНОМ //Высшая школа: научные исследования. – 2019. – С. 55-59.
22. Тошев С. У., Аширов З. Ф., Абдуллаев Х. Д. ЛЕЧЕНИЕ ВИТИЛИГО 308-нм ЭКСИМЕРНЫМ ЛАЗЕРОМ //Актуальные аспекты медицинской деятельности. – 2021. – С. 240-243.
23. Salamova L. A. et al. Evaluation of the effectiveness of the drug gepon in the treatment of genital condylomas. – 2021.

24. Davlatovich A. X. VAGINAL TRIXOMONADLAR SHTAMMASINI TRIXOPOLGA VA XIMOTRIPSIN BILAN BILAN SEZGICHLIGINI ANIQLASH //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 645-647.
25. Davlatovich A. X., Orifovich S. D., Baxtiyorovich A. S. Studying the Relationship of Local Immune Status and the Course of Burn Disease //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 679-682.
26. Xolmurodovich D. J., Umidovich N. T., Davlatovich A. X. CLINIC COURSE OF NONSPECIFIC PNEUMONIA //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 510-513.
27. Абдуллаев Х. Д. и др. ЛАЗЕР В ЛЕЧЕНИИ ВИТИЛИГО //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 495-500.
28. Hikmatovich I. N. et al. The use of Fungite in the Local Treatment of Genital Herpes //International Journal of Innovative Analyses and Emerging Technology. – 2021. – Т. 1. – №. 5. – С. 231-232.
29. Davlatovich A. X., O'gli A. B. X., O'gli I. A. S. BOLALARDA GENITAL GERPESNI DAVOLASH SAMARADORLIGINI BAHOLASH //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 367-369.
30. Xolmurodovich D. J., Orifovich R. S., Davlatovich A. X. FEATURES OF THE MICROELEMENT STATUS FOR THE DEVELOPMENT OF ATOPIC DERMATITIS IN CHILDREN //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 447-450.
31. Davlatovich A. X. DETERMINATION OF GENE ACTIVITY IN VITILIGO PATIENTS //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 451-454.
32. Davlatovich A. X. et al. EVALUATION OF THE GENERAL SOMATIC STATUS OF PATIENTS WITH VITILIGO BASED ON THE DETERMINATION OF THE CONTENT OF NATURAL ANTIBODIES TO VARIOUS ORGANIS AND TISSUES OF THE BODY //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 472-476.
33. Davlatovich A. X. et al. USING IMMUNOMAX AND 0.1% TACROLIMUS OINTMENT IN THE TREATMENT OF VITILIGO //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 559-562.
34. Абдуллаев Х., Толибов М. Allergodermatozlar bilan bog'liq bo'lgan vulgar acneni kompleks davolash Samaraligini o'rganish //Журнал гепато-гастроэнтерологических исследований. – 2021. – Т. 2. – №. 3.2. – С. 73-74.
35. Ахмедов Ш. К. и др. ЭФФЕКТИВНОСТЬ ЛЕЧЕНИЯ ИЗОТРЕТИНОИНА ПРИ ЛЕЧЕНИИ УГРЕВОЙ БОЛЕЗНИ //Академический журнал Западной Сибири. – 2015. – Т. 11. – №. 1. – С. 56-56.
36. Нуруллаева А. А., Рахматова А. Х., Абдуллаев Х. Д. ЗНАЧЕНИЕ МИКРОБНОГО ОБСЕМЕНЕНИЯ КОЖИ ПРИ НЕКОТОРЫХ ЗУДЯЩИХ ДЕРМАТОЗАХ //Молодежь и медицинская наука в XXI веке. – 2019. – С. 125-125.
37. Абдуллаев Х. Д., Собиров М. С., Жумаева Д. Х. НЕРВНО-ПСИХИЧЕСКИЙ СТАТУС У БОЛЬНЫХ СЕБОРЕЕЙ //Молодежь и медицинская наука в XXI веке. – 2018. – С. 115-116.
38. Iskandarovna K. M. SIFILISNING IMMUNOASSAY SHAKLLARI //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 534-536.

39. Iskandarovna K. M., Dilshodovna A. D., Adxamovna A. A. Impact of Socio-Hygienic Conditions of Life on the Health of Students //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 644-646.
40. Iskandarovna K. M. et al. Comprehensive Assessment of the Levels of Somatic Health and Disturbances of Adaptation Reserves in Medical Students //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 641-643.
41. Iskandarovna K. M., Alamovich K. A., Rabbimovich N. A. Treatment of Urethrogenic Prostatitis Associated with Chlamydia Infection //TA'LIM VA RIVOJLANISH TAHLILI ONLAYN ILMİY JURNALI. – 2021. – Т. 1. – №. 5. – С. 44-46.
42. Iskandarovna K. M., Buribaevna I. S., Azamovna A. N. Immunoassay Forms of Syphilis //TA'LIM VA RIVOJLANISH TAHLILI ONLAYN ILMİY JURNALI. – 2021. – Т. 1. – №. 5. – С. 47-49.
43. Ахмедова М. М., Абдуллаев Х. Д., Камолова М. И. ОЦЕНКА ЭФФЕКТИВНОСТИ МЕТОДОВ ЛЕЧЕНИЯ ОНИХОМИКОЗОВ У ВЗРОСЛЫХ //BARQARORLIK VA YETAKSHI TADQIQOTLAR ONLAYN ILMİY JURNALI. – 2022. – Т. 2. – №. 3. – С. 186-190.
44. Абдуллаев Д. М., Абдуллаев Х. Д., Камолова М. И. ОПЫТ ПРИМЕНЕНИЯ КРЕМАТЕРБИЗИЛ ПРИ ЛЕЧЕНИИ МИКОЗОВ //BARQARORLIK VA YETAKSHI TADQIQOTLAR ONLAYN ILMİY JURNALI. – 2022. – Т. 2. – №. 3. – С. 181-185.