

Quality Assessment Treatment of Chronic Urethrogenic Prostatitis in Adolescents

Nazarov Jamshid Abdurashidovich

Samarkand State Medical University Department of Skin and Venereal Diseases

Rustamova Madinabonu Sirojiddinovna, Ismatova Latofat Ma'rufjon qizi

Samarkand State Medical University student

Article Information

Received: December 26, 2022

Accepted: January 27, 2023

Published: February 28, 2023

Keywords: Chronic prostatitis, ozone therapy

ABSTRACT

this article attempts to reveal the main causes of chronic urethrogenic prostatitis (CUP) in young men against the background of complex treatment with the use of general and local ozone therapy, depending on the somatic type. To carry out scientific work, the author conducted a study of 306 Caucasian males of the first period of adulthood suffering from CUP. A comprehensive diagnostic program, in addition to standard studies, included: filling out questionnaires for a summary assessment of CUP symptoms and a formula for sexual male function, bacterioscopic, bacteriological and molecular biological studies of urethral discharge and prostate secretion for STIs. The problem in question is still little studied, therefore, requires more thorough research.

Introduction: Chronic prostatitis (CP) is the most common reason for men younger than 50 years old with inflammatory diseases of infectious and non-infectious nature to visit the clinic [1]. About 10% of the total male population noted the symptoms of CP at least once throughout their lives [2]. In 2013, Nickel J. C. et al., after analyzing the results of 24 epidemiological studies, established the global prevalence of CP at 7.1% [3]. Given the above data, CP is costly to society in terms of direct and indirect financial losses and has a pronounced impact on the quality of life of patients [4]. In the Russian Federation, CP in the structure of outpatient urological appointments accounts for 17% of visits [5]. Many authors have tried to classify HP. Currently, the classification of prostatitis developed by the US National Institutes of Health (1995) is generally accepted, which was approved in the final version in 1999 [6]. This classification is well known. It is based on the division of prostatitis into four categories: acute (I) or chronic (II) bacterial prostatitis, chronic non-bacterial prostatitis/chronic pelvic pain syndrome (CP/CPPS) (III), which can be inflammatory (IIIa) or non-inflammatory (IIIb).) and asymptomatic prostatitis (IV). Category III CP/chronic pelvic pain syndrome is the most common form of symptomatic prostatitis, accounting for up to 90–95% of all forms of the disease [9]. According to some authors, this classification is losing relevance due to the fact that it does not reflect all the information about the patient. So, long-term recurrent CP often begins to manifest itself not only with classic local symptoms, but also with functional disorders of other organs and systems [10].

Aim: to study the course of chronic urethrogenic prostatitis (CUP) in young men against the

background of complex treatment with the use of general and local ozone therapy, depending on the somatic type.

Materials and methods: the object of the study was 306 Caucasian men of the first period of adulthood suffering from CUP. The complex diagnostic program, in addition to standard studies, included: filling out questionnaires for the summary assessment of symptoms of CUP and the formula of male sexual function, bacterioscopic, bacteriological and molecular biological studies of urethral discharge and prostate secretion for STIs, examination of the microcirculation of the mucosa of the prostatic urethra and skin at the projection point of the prostate using the laser method. Doppler flowmetry, somatotyping according to the L. Rees-H.J. Eisenck. Registration of the listed parameters was carried out before treatment and 20 days after treatment.

Results: the frequency of detection of sexually transmitted infections by microscopy revealed a higher level of *Neisseria gonorrhoeae* ($p < 0.05$) in men of pycnic somatotype (16.7%) compared to asthenic men (4.8%), at the same time the frequency of detection of *Trichomonas vaginalis* by culture ($p < 0.04$) was higher in men with asthenic somatotype (59%) compared with men with pycnic somatotype (40%). CUP is most malignant in men of the pycnic somatotype, which is objectively confirmed by the clinical index; however, the effectiveness of standard treatment in these patients using regional and local ozone therapy was higher than in patients of other somatotypes and was accompanied by a decrease in the clinical index by almost two times (from 24.32 ± 0.73 to 13.62 ± 0.61 points). The most significant decrease in prostate size during CUP therapy was observed in patients with pycnic somatotype (from 34.12 ± 0.51 cm³ to 29.08 ± 0.64 cm³), improvement in microcirculation parameters was observed in patients with asthenic somatotype. Changes in the microcirculation of the mucous membrane of the prostatic urethra and skin at the projection point of the prostate during CUP therapy are somatotypically determined. The highest values of tissue perfusion were found in patients with normosthenic somatotype, and the lowest values were found in patients with pycnic somatotype.

Conclusions: thus, the study revealed somatotypic differences in clinical, laboratory and instrumental characteristics of the course of CUP in men of the first period of adulthood against the background of complex standard treatment using local and general ozone therapy.

Literature:

1. Гарифулина Л. М. и др. Показатели качества жизни подростков с ожирением // Молодежь и медицинская наука в XXI веке. – 2018. – С. 39-41.
2. Лапасова М. Ш. и др. Внедрение принципов обучения здоровому образу жизни и по прекращению употребления табака среди больных с сердечно-сосудистой патологией // Здоровье, демография, экология финно-угорских народов. – 2018. – №. 4. – С. 19-20.
3. Лапасов С. Х., Хакимова Л. Р., Лапасова М. Ш. ВНЕДРЕНИЕ АДАПТИРОВАННОГО КЛИНИЧЕСКОГО ПРОТОКОЛА ВСЕМИРНОЙ ОРГАНИЗАЦИИ ЗДРАВООХРАНЕНИЯ ПО ПРЕКРАЩЕНИЮ УПОТРЕБЛЕНИЯ ТАБАКА НА ПРИМЕРЕ РАЙОННОЙ ПОЛИКЛИНИКИ // Здоровье, демография, экология финно-угорских народов. – 2020. – №. 2. – С. 24-26.
4. Лапасов С. и др. Современные подходы в диагностике и лечении гельминтозов у детей в первичном звене здравоохранения // Журнал проблемы биологии и медицины. – 2015. – №. 2 (83). – С. 172-177.
5. Хакимова Л., Лапасова М., Лапасова З. The use of innovative learning methods in high educational establishments as a stage of implementation of improving the quality of the educational process // Общество и инновации. – 2022. – Т. 3. – №. 1/С. – С. 121-125.
6. Хакимова Л., Лапасова М. Ўспирин-қиз болалар ва уларнинг оналарининг репродуктив саломатлик хақидаги билимларини текшириш натижаларининг таҳлили ва унинг сифат кўрсаткичини яхшилаш // Общество и инновации. – 2021. – Т. 2. – №. 1/С. – С. 138-144.

7. Хакимова Л., Лапасова М. Анализ результатов тестирования знаний девочек подростков и их матерей о репродуктивном здоровье и повышение качества оказания медицинских услуг //Общество и инновации. – 2021. – Т. 2. – №. 1/S. – С. 138-144.
8. Лапасов С. Х. и др. РЕЗУЛЬТАТЫ ДИАГНОСТИКИ, ЛЕЧЕНИЯ И ПРОФИЛАКТИКИ АНОМАЛИЙ КОНСТИТУЦИИ СРЕДИ ДЕТЕЙ В УСЛОВИЯХ ПЕРВИЧНОГО ЗВЕНА МЕДИЦИНСКОЙ ПОМОЩИ //Молодежь и медицинская наука в XXI веке. – 2018. – С. 54-56.
9. Лапасов С. и др. Кишлок врачлик пункти шароитида 45-65 ёшли юрак ишемик касалигида мойиллиги бор ахолини эрта аниклаш жараёни сифат курсаткичини яхшилаш //Журнал проблемы биологии и медицины. – 2013. – №. 1 (72). – С. 50-53.
10. Uktamovich T. S., Vakhobiddinovich A. D. Complex Therapy of Patients with Atopic Dermatitis //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 653-655.
11. Uktamovich T. S., Umedovich S. U. Effectiveness of Treatment of Testicular Torsion //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 647-649.
12. Uktamovich T. S., Fakhridinovich F. K. Effectiveness of the Treatment of Limited Scleroderma //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 650-652.
13. Toshev S. U. APPLICATIONS OF ELACON FOR LICHEN PLANE //Asian journal of pharmaceutical and biological research. – 2022. – Т. 11. – №. 2.
14. Toshev S. U. THE USE OF ADVANTAN IN THE LOCAL TREATMENT OF GENITAL HERPES //Asian journal of pharmaceutical and biological research. – 2022. – Т. 11. – №. 2.
15. Ахмедова М. М., Абдуллаев Д. М., Тошев С. У. ИСПОЛЬЗОВАНИЯ МАЗЬЮ КУРАЛИМУС ПРИ ЛЕЧЕНИИ КРАСНОГО ПЛОСКОГО ЛИШАЯ //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – Т. 2. – №. 3. – С. 191-193.
16. Нарзикулов Р. и др. Принципы терапии у женщин больных гонореей ассоциированные иппп //Журнал вестник врача. – 2019. – Т. 1. – №. 1. – С. 99-102.
17. Абдуллаев Д. М., Тошев С. У., Толибов М. М. КОМПЛЕКСНЫЙ МЕТОД ЛЕЧЕНИЯ ВУЛЬГАРНЫХ УГРЕЙ //Актуальные аспекты медицинской деятельности. – 2021. – С. 254-256.
18. Нарзикулов Р. М. и др. Новый подход в лечении витилиго //НАУЧНЫЕ ИССЛЕДОВАНИЯ. – 2019. – С. 60.
19. Rizaev J. A. et al. Medical and organizational measures to improve the provision of medical care in the dermatovenereology profile //International Journal of Current Research and Review. – 2020. – Т. 12. – №. 24. – С. 120-122.
20. Тошев С. У., Сулаймонов А. Л., Тиллакобилов И. Б. ТЕРАПИЯ ВИТИЛИГО С ПРИМЕНЕНИЕМ ПОЛИОКСИДОНИЯ В СОЧЕТАНИИ С ЛЮКОДЕРМИНОМ //Высшая школа: научные исследования. – 2019. – С. 55-59.
21. Тошев С. У., Аширов З. Ф., Абдуллаев Х. Д. ЛЕЧЕНИЕ ВИТИЛИГО 308-НМ ЭКСИМЕРНЫМ ЛАЗЕРОМ //Актуальные аспекты медицинской деятельности. – 2021. – С. 240-243.
22. Salamova L. A. et al. Evaluation of the effectiveness of the drug gepon in the treatment of genital candidomas. – 2021.
23. Davlatovich A. X. VAGINAL TRIXOMONADLAR SHITAMMASINI TRIXOPOLGA VA XIMOTRIPSIN BILAN BILAN SEZGICHLIGINI ANIQLASH //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 645-647.

24. Davlatovich A. X., Orifovich S. D., Baxtiyorovich A. S. Studying the Relationship of Local Immune Status and the Course of Burn Disease //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 679-682.
25. Xolmurodovich D. J., Umidovich N. T., Davlatovich A. X. CLINIC COURSE OF NONSPECIFIC PNEUMONIA //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 510-513.
26. Абдуллаев Х. Д. и др. ЛАЗЕР В ЛЕЧЕНИИ ВИТИЛИГО //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 495-500.
27. Hikmatovich I. N. et al. The use of Fungite in the Local Treatment of Genital Herpes //International Journal of Innovative Analyses and Emerging Technology. – 2021. – Т. 1. – №. 5. – С. 231-232.
28. Davlatovich A. X., O'gli A. B. X., O'gli I. A. S. BOLALARDA GENITAL GERPESNI DAVOLASH SAMARADORLIGINI BAHOLASH //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 367-369.
29. Xolmurodovich D. J., Orifovich R. S., Davlatovich A. X. FEATURES OF THE MICROELEMENT STATUS FOR THE DEVELOPMENT OF ATOPIC DERMATITIS IN CHILDREN //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 447-450.
30. Davlatovich A. X. DETERMINATION OF GENE ACTIVITY IN VITILIGO PATIENTS //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 451-454.
31. Davlatovich A. X. et al. EVALUATION OF THE GENERAL SOMATIC STATUS OF PATIENTS WITH VITILIGO BASED ON THE DETERMINATION OF THE CONTENT OF NATURAL ANTIBODIES TO VARIOUS ORGANIS AND TISSUES OF THE BODY //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 472-476.
32. Davlatovich A. X. et al. USING IMMUNOMAX AND 0.1% TACROLIMUS OINTMENT IN THE TREATMENT OF VITILIGO //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 559-562.
33. Абдуллаев Х., Толибов М. Allergodermatozlar bilan bog'liq bo'lgan vulgar acneni kompleks davolash Samaraligini o'rganish //Журнал гепато-гастроэнтерологических исследований. – 2021. – Т. 2. – №. 3.2. – С. 73-74.
34. Ахмедов Ш. К. и др. ЭФФЕКТИВНОСТЬ ЛЕЧЕНИЯ ИЗОТРЕТИНОИНА ПРИ ЛЕЧЕНИИ УГРЕВОЙ БОЛЕЗНИ //Академический журнал Западной Сибири. – 2015. – Т. 11. – №. 1. – С. 56-56.
35. Нуруллаева А. А., Рахматова А. Х., Абдуллаев Х. Д. ЗНАЧЕНИЕ МИКРОБНОГО ОБСЕМЕНЕНИЯ КОЖИ ПРИ НЕКОТОРЫХ ЗУДЯЩИХ ДЕРМАТОЗАХ //Молодежь и медицинская наука в XXI веке. – 2019. – С. 125-125.
36. Абдуллаев Х. Д., Собиров М. С., Жумаева Д. Х. ПЕРВНО-ПСИХИЧЕСКИЙ СТАТУС У БОЛЬНЫХ СЕБОРЕЕЙ //Молодежь и медицинская наука в XXI веке. – 2018. – С. 115-116.
37. Iskandarovna K. M. SIFILISNING IMMUNOASSAY SHAKLLARI //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 534-536.
38. Iskandarovna K. M., Dilshodovna A. D., Adxamovna A. A. Impact of Socio-Hygienic Conditions of Life on the Health of Students //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 644-646.

39. Iskandarovna K. M. et al. Comprehensive Assessment of the Levels of Somatic Health and Disturbances of Adaptation Reserves in Medical Students //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 641-643.
40. Iskandarovna K. M., Alamovich K. A., Rabbimovich N. A. Treatment of Urethrogenic Prostatitis Associated with Chlamydia Infection //TA'LIM VA RIVOJLANISH TAHLILI ONLAYN ILMIY JURNALI. – 2021. – Т. 1. – №. 5. – С. 44-46.
41. Iskandarovna K. M., Buribaevna I. S., Azamovna A. N. Immunoassay Forms of Syphilis //TA'LIM VA RIVOJLANISH TAHLILI ONLAYN ILMIY JURNALI. – 2021. – Т. 1. – №. 5. – С. 47-49.
42. Ахмедова М. М., Абдуллаев Х. Д., Камолова М. И. ОЦЕНКА ЭФФЕКТИВНОСТИ МЕТОДОВ ЛЕЧЕНИЯ ОНИХОМИКОЗОВ У ВЗРОСЛЫХ //BARQARORLIK VA YETAKSHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – Т. 2. – №. 3. – С. 186-190.
43. Абдуллаев Д. М., Абдуллаев Х. Д., Камолова М. И. ОПЫТ ПРИМЕНЕНИЯ КРЕМАТЕРБИЗИЛ ПРИ ЛЕЧЕНИИ МИКОЗОВ //BARQARORLIK VA YETAKSHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – Т. 2. – №. 3. – С. 181-185.