

Effectiveness of Learning to Feed Ducks in Our Republic

T. Q. Naurizov

Associate Professor of Karakalpakstan Institute of Agriculture and Agrotechnologies

M. I. Miytenbaev

Muynaq district

Article Information

Received: June 29, 2023

Accepted: July 30, 2023

Published: Aug 31, 2023

Keywords: Effectiveness Of Learning,

ABSTRACT

The Indian runner, the ideal duck, attracts the attention of not only hobbyists but also duck breeders. The breed is relatively young, and increasing the quality and quantity of productivity is currently ongoing. Work is being carried out to improve indicators such as egg production, quality of meat, feathers and feathers, and resistance to diseases. Broilers gain weight in a short time and have strong immunity. Duck does not even affect leukemia.

By nature, birds are not temperamental, they behave calmly, noble, and calm. In the yard where Agidel is stored, there will be no fuss, unnecessary actions, or quarrels. Ducks scream only when their life is threatened or endangered.

The feed is fully and rationally absorbed by the duck's organism, increasing the mass and amount of useful trace elements in the meat.

Meat from a well-balanced ideal duck is healthy and tasty. After six months, the carcass reaches three kilograms.

Productivity - The productivity of meat and eggs is so high that a small herd can meet the product needs of a large family throughout the year.

Meat. One duck can produce up to 50 ducklings per year. This is more than 500 kg of valuable meat for the entire productive period. The meat has 6% less fat than other duck breeds.

Egg. One duck can lay more than 200 eggs a year boys Light industries only buy white waterfowl feathers. According to its characteristics, the duck down is compared to the swan. Cotton and feathers are used to make clothes and bedding. These products are in demand in northern regions with a humid climate. Natural raw materials always have a high price. It is recommended that mass slaughter be carried out by observing the feathers of ducks. This happens as soon as the real feathers appear, at about two months of age. If the time is missed in the household, the best time for the next slaughter is ten days later. Feathers are easily pulled from the carcass. Storage and reproduction in general, waterfowl domestic birds should establish a pond near the poultry house. Agidel duck lives peacefully with or without a pond. But he needs constant access to water in low bowls to drink day and night. The straw bedding in the house is changed regularly because ducks like to splash in the water. You can use special drinkers that do not allow splashing of water. It is useful to arrange a small bowl for bathing ducks in the yard. Keeping livestock in herds has a good effect on the condition of the herd, for this, partitions up

to 80 centimeters high are installed in the house. The area of the pens is calculated based on the parameters: one square meter for four birds.

Nests are placed continuously. Their behavior affects the ducks' refusal to rush. Agidel lays eggs in the morning, so it is recommended to make the release time to walk a little later than other birds. After an hour, you can collect eggs from the nests. Broiler ducks are fed ready-made mixtures for birds at the rate of 2.3 kg per 1 kg of growth. They do not require special high-calorie additives.

An adult herd eats any grain, fresh grass, duckweed, straw, and hay. Content in free pasture makes the task much easier. Ducks find their food. Agide's appetite is very good, metabolism is also active at night.

In winter, the herd is fed twice a day. Egg-laying ducks are fed up to four times with special additives rich in minerals and vitamins. Careful selection of eggs, see the ideal external appearance (size, smooth surface) and maximum freshness; observing the temperature regime in the incubator, the first two weeks - 37.7 ° C, one week - 38.3 ° C, the last days - 38.7 ° C; The air humidity in the incubator is kept at 70% until the last days, then it decreases to 45%, At the beginning of the bite, the humidity is again increased to 50%; At least ten times a day, you need to turn the egg so that the embryo does not stick; eggs are cooled twice a day for 30 minutes.

Breeding ducks-Agidel ducks twice a year: in the middle of spring and in summer. The incubation period lasts 28 days. By winter and cold, the flock of young animals turns into adult birds and calmly survives the drop in temperature.

Ducklings need warmth and light throughout the day. Gradually reduce the intensity of the lighting. This breed has a high level of livestock safety: from 0 to 6 weeks - 98%.

An important moment in the life of a duck corresponds to a month and a half of their life. They suddenly get scared, cling to each other, and climb on top of each other. In this frenzy, the ducklings often hurt each other with their claws.

With the help of a special tool, nails are removed forever, because they do not grow back. The procedure is safe; the absence of nails does not affect their development. Ducks walk, eat, and swim well.

Feeding young livestock is carried out with ready-made feed mixtures and crushed grain. Gradually, finely chopped greens, cereals, cakes, corn, and sunflower are included in the diet. Any transition in nutrition is carried out gradually over seven days. A balanced diet improves the taste of meat and eggs.

Herd health. Agidel ducks are naturally insensitive to wounds, which are common in bird circles. The first signs of health problems: are motor activity decreases, wings are lowered, and the duck refuses to drink and eat. With these signs, the duck is isolated and a veterinarian is called. A simple event reduces the risk of spreading work in a package. If ducks begin to pluck eggs and feathers, this does not mean that an infection or other disease has occurred. This phenomenon is often caused by a lack of vitamins, minerals, and trace elements. The entire diet and conditions of detention must be considered. It should be remembered that maintaining health is easier than treating a bird. Interesting facts Ducks swim thanks to their wide, webbed paws to avoid stepping on their feet. Leaning on one leg and turning the whole body, it is easier to move the other.

Duck eggs make pastries especially soft, tender, and delicious. But they should not be eaten raw. Duck eggs have been actively used in home cosmetology for a long time. Egg whites have always been added to masks for oily skin. Applying turmeric to the scalp has a beneficial effect on hair growth and strength.

LIST OF USED LITERATURE

1. Азимов Д. – Применение нетрадиционных кормов. // Птицеводство, 2009. - №6 - с. 41.
2. Рахманов Л.К. Паррандаларни асраш ва озиклантириш технологиясининг узига хосликлари. //Зооветеринария, 2012. №2, 32-34 б
3. Ҳамракулов Р, Карибоев К. Қишлоқ хўжалик ҳайвонларини озиклантириш. Тошкент, Мехнат нашриёти, 1999. - 30 б.
4. Эрматов Ю.А., “Фермер, деҳқон ва шахсий ёрдамчи хўжаликларда парранда тухуми ва гўшт етиштириш борасида тавсиялар” Қишлоқ хўжалигини ривожлантиришдаги устувор йўналишлар ва унинг ечимлари. Самарқанд 2011. 185-190 б.
5. Эрматов Ю.А, Давлатов Р.Б, Ибрагимов Д., Маматов Х., Шарапов У. Паррандачилик фермер, деҳқон ва ёрдамчи хўжаликларидида тухум ва парранда гўшти ишлаб чиқаришни такомиллаштириш бўйича қўлланма. Самарқанд, 2012.